

Hoodie Jacket for Medical Education Dolls

Designed by Mary M. Hogan

This hoodie jacket is designed for the medical education dolls designed by Mary M. Hogan (www.marymhogan.com). The pattern was developed and refined during September and October 2018. The hoodies have been made from woven cotton, cotton flannel, cotton and other knits, polyester fleece, and fine-wale corduroy fabrics.

Note: Use $\frac{1}{4}$ " seams, unless directed otherwise.

Materials needed

- $\frac{1}{4}$ yard fabric (a fat quarter is enough for a hoodie)
- 7" or longer lightweight nylon zipper (closed end)

Fabric preparation

Paying attention to the grain lines on the templates,




- Cut 2 hood pieces
- Cut 4 jacket body pieces

Hood:

With right sides together sew the hood back seam. Turn right side out. Turn the front edge of the hood under $\frac{1}{4}$ " and sew to finish the front edge of the hood.


Jacket Body Back: Using 2 jacket body pieces, sew a center back seam with the right sides together. Press.

Jacket Body Front: Using 2 jacket body pieces right sides together, sew a seam at the bottom $1\frac{1}{2}$ ". Use a $\frac{3}{8}$ " seam allowance to allow more room for sewing the zipper in place. Press the seam open on the wrong side and press the raw edges over $\frac{3}{8}$ " above the seam to prepare the jacket front for sewing the zipper.




Apply Zipper: Working on the right side of the jacket front, tuck the zipper under the folded edges of the front so the zipper teeth are at the jacket center and the top of the zipper is at the top edge.

Pin and sew close to the left side of the zipper. Turn and take a few stitches across the bottom, and continue sewing up the right side of the zipper. Trim extra length off the zipper below the sewing. Add a zipper pull if desired.



If you prefer not to use a zipper, you may use hook and loop tape to secure the opening, or leave an opening large enough that the hoodie will fit on the doll.



Place the right sides of the jacket body front and back together and sew both shoulder seams.

Match and pin the hood and jacket right sides together so the hood seam matches the jacket back seam and the front edges of the hood cover the top edges of the zipper (this is a little fiddly, but not difficult). Sew together, easing any fullness.

Turn the ends of the sleeves under about $\frac{1}{4}$ " and zig zag, sew, or add trim to finish the sleeves. Pin and sew the side seams. Clip the underarm seam. Turn under the jacket bottom about $\frac{1}{4}$ " to finish the bottom edge.

Cutting Templates

The lines are cutting lines.

